

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVN4234AGC</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R</b> <b>02/17/2010</b>
NAME OF PROVIDER OR SUPPLIER  <b>SAINT PAUL HOME CARE 2</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>4900 KOENIG ROAD</b> <b>RENO, NV 89506</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 000	<p>Initial Comments</p> <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.</p> <p>This Statement of Deficiencies was generated as a result of a follow-up survey (to complaint #NV00023587) conducted in your facility on 2/17/10. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division.</p> <p>The facility was licensed for 10 Residential Facility for Group beds for the elderly and disabled persons, Category I residents. The census at the time of the survey was nine.</p> <p>No further regulatory deficiencies were identified.</p>	Y 000			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE